

PERMIT FOR INDUSTRIAL WASTEWATER DISCHARGE
COUNTY SANITATION DISTRICTS OF LOS ANGELES COUNTY
1955 Workman Mill Road / Whittier, CA
Mailing Address: P.O. Box 4998 / Whittier, California 90607-4998
Charles W. Carry, Chief Engineer and General Manager
(213) 699-7411

SDMS DOCID # 1149878

6105 R-1

01 CHECK ONE: New Sewer Connection ☐ Existing Sewer Connection ☒

02 Applicant ASSOCIATED PLATING COMPANY
(Legal Company Name)

03 Check one and fill in appropriate information

☒ Corporation Name ASSOCIATED PLATING COMPANY
Year Incorporated 7/25/52 State of Incorporation CA ID# D0265214
☐ Partnership Name _____ Partners _____
☐ Sole Proprietor Name _____ Business Names _____

04 Company Address 9636 ANN STREET, SANTA FE SPRINGS, CA 90670
(Street) (City) (State) (Zip)

05 Mailing Address 9636 ANN STREET, SANTA FE SPRINGS, CA 90670
(Street) (City) (State) (Zip)

06 Point of Discharge AT THE WASTEWATER TREATMENT PLANT, SOUTHWEST FACE OF THE FACILITY, INTO THE SEWER INTERCEPTOR

07 Number of years applicant has been in business at present location 14 (yrs) 11 (months)

08 Name of Property Owner APC INVESTMENT COMPANY

Address of Property Owner 9636 ANN STREET, SANTA FE SPRINGS, CA 90670 (310) 946-5525
(Street) (City) (Zip) (Telephone Number)

09 Assessors Map Book No. * 8168 Page No. 008 Parcel No. PARCEL 042

10 Type of Industry ELECTROPLATING
(General Description) (Federal SIC No.)

11 Number of Employees (Full Time) 40 (Part Time) 0

12 Raw Materials Used ACIDS, CAUSTICS, CYANIDES, AND METAL-BEARING SALTS AND SOLUTIONS - (SEE SECTION III OF THIS PERMIT APPLICATION)
(General Description - Add Additional Sheets as Needed) (Daily Amount Used)

13 Products Produced ELECTROPLATING OF PARTS FOR MILITARY, ELECTRONIC, AND COMMERCIAL USES - (SEE SECTION II OF THIS PERMIT APPLICATION)
(General Description - Add Additional Sheets as Needed) (Daily Amount Produced)

14 Wastewater Producing Operations AS ABOVE - (SEE SECTION II OF THIS PERMIT APPLICATION)
(Full Description - Add Additional Sheets as Needed)

15 Time of Discharge 6:00 AM to 4:30 AM Days per Week (M,T,W,T,F,S,Su)
(Working Day - Circle AM or PM) (Circle Days)

16 Wastewater Flow Rate 2904 2900 Gallons per Day 4.6 Gallons per Minute
(Average) (Peak)

17 Constituents of Wastewater Discharge COPPER, NICKEL, SILVER, LEAD, AND ZINC
(General Description - Attach Chemical Analysis Results to the Application)

18 Person in company responsible for industrial wastewater discharge
DIANE F. MAULE QUALITY CONTROL MANAGER (310) 946-5525
(Name) (Position) (Telephone Number)

I affirm that all information furnished is true and correct and that the applicant will comply with the conditions stated on the back of this permit form.

Date DECEMBER 7, 1992

19 Signature for Applicant [Signature] PRESIDENT
(Company Administrative Official) (Name) (Position)

20 Approved by City or County Official

Date MARCH 23, 1993

For L.A. County Dept. of Public Works... ☐

City of SANTA FE SPRINGS

Name _____

Position FIRE MARSHAL

Approved by Sanitation Districts of Los Angeles County

Date 10-13-93

Charles W. Carry, Chief Engineer & General Manager

By [Signature]
Position Superior Civil Engineer

Note: Please submit application first to the applicable City or County agency in which the point of discharge is located.
Please contact the local agency for the required permit processing fee.

(Continued on next page)

Y102692

01

SANTA FE SPRINGS, Calif.* 3 / 29 / 78
 MO. DAY YR.

APPLICATION IS HEREBY MADE BY ASSOCIATED PLATING CO.
 PRINT (FIRM NAME)

03 (Mailing Address) 9636 SOUTH ANN ST SANTA FE SPRINGS, CA 90670
 (STREET) (CITY) (STATE) (ZIP)

07 OWNER
 (OWNER, TENANT, ETC.)

09 SAME (City) (Zip)
 PRINT (ADDRESS OF PROPERTY PRODUCING WASTEWATER DISCHARGE)

Assessors Map Book No. 30 Page No.* 9 Parcel No.* P.M. LOT 2
 (LEGAL ADDRESS OF PROPERTY PRODUCING WASTEWATER DISCHARGE)

PRINT (LOCATION OF POINT OF WASTEWATER DISCHARGE TO SEWERAGE SYSTEM)

for a Permit for Industrial Wastewater Discharge to the sewerage system.

13 Type of Industry* METAL PLATING M. 17 3471
 (GENERAL DESCRIPTION) (FEDERAL SIC NOS.)

19 Number of Employees (Full Time)* 35 (Part Time)* S

21 Raw Materials Used*
 (GENERAL DESCRIPTION - ADD ADDITIONAL SHEETS AS NEEDED)

Products Produced SERVICE INDUSTRY - METAL PLATING
 (GENERAL DESCRIPTION - ADD ADDITIONAL SHEETS AS NEEDED)

Wastewater Producing Operations METAL PLATING - COPPER, TIN, TIN-LEAD,
NICKEL, GOLD, SILVER, RHODIUM in future. ETC.
 (FULL DESCRIPTION - ADD ADDITIONAL SHEETS AS NEEDED)

31 Time of Discharge - * 8 AM/PM to 4 AM/PM, Days per Week* (M) T W Th F Sa Su
Working Hrs. 7 - 3:30 PM Mon. - Fri. ETC. (CIRCLE DAYS)

Wastewater Flow Rate 7 GALLONS PER MINUTE AA (Gallons Per Day) 3360

Constituents of Wastewater Discharge (BRINE) SODIUM SULFATE, CHLORIDE
AND NITRATE
 (GENERAL DESCRIPTION - ATTACH CHEMICAL ANALYSES RESULTS TO THIS APPLICATION)

Person in company responsible for industrial wastewater discharge: JOHN CASTER - MGR

41 WAYNE MOLENRICH QUALITY CONTROL MGR 945-3555
 PRINT (NAME) (POSITION) (TELEPHONE NUMBER)

I affirm that all information furnished is true and correct and that the applicant will comply with the conditions stated on the back of this permit form.

Date MARCH 29, 19 78

Signature for Applicant Stanley A. Dolnick PRES
 (COMPANY ADMINISTRATIVE OFFICIAL) (NAME) (POSITION)

Approved by City or County Official

Date 4-14-78

For Dept. of County Engineers ☐ I-2248-1H

City of SANTA FE SPRINGS
 Name Charles E. Copeland

Position Prin. M.E. Assist.

Approved by Sanitation Districts of Los Angeles County

Date June 22, 19 78

John D. Parkhurst, Chief Engineer and General Manager

by Alfredo C. Reyes
 Position Plan Eval. Engr.

Note: A permit fee may be required by the local City or County Agency.

This form when properly signed shall be a valid permit unless suspended or revoked.

RETURN THIS COPY TO APPLICANT WHEN APPROVED



COUNTY SANITATION DISTRICTS OF LOS ANGELES COUNTY

1955 Workman Mill Road, Whittier, CA 90601-1400
Mailing Address: P.O. Box 4998, Whittier, CA 90607-4998
Telephone: (562) 699-7411, FAX: (562) 699-5422
www.lacsd.org

JAMES F. STAHL
Chief Engineer and General Manager

September 14, 2004
File: 18/04-15820
Account No. 2055204

Michael Evans
President
ASSOCIATED PLATING CO., INC.
9636 Ann Street
Santa Fe Springs, CA 90670

Dear Mr. Evans:

Violation of the EPA 4-Day Average Effluent Discharge Limit

Your company is subject to the established EPA Categorical Pretreatment Standards for both daily maximum and 4-day average effluent discharge limits. A review of your company's and/or the Districts' effluent monitoring data indicates that your company violated the effluent discharge limit(s) as indicated below.

Date	SampleResult(s) (mg/l) */**	Pollutant	4-Day Average Result(mg/l)	4-Day Average Limit (mg/l)
April 28, 2003	0.030*	Cyanide	3.837	2.700
July 28, 2003	0.320*			
October 27, 2003	1.500*			
January 26, 2004	13.500*			
October 27, 2003	< 0.050*	Lead	0.652	0.400
November 19, 2003	0.500**			
January 26, 2004	0.210*			
February 3, 2004	1.900**			

* Company sample

**CSD sample


The 4-day average is calculated based on four (4) consecutive sampling days. This average is compared with the 4-day average limit.

Your company is advised to operate and maintain the existing pretreatment system with the ultimate goal of complying consistently with the discharge limits. A written response is not required for the violation(s) indicated above.

The Districts appreciate your continued attention and commitment to achieving compliance with all wastewater discharge regulations. If you have any further questions regarding this matter please contact Enforcement Project Engineer Harry Mehta at extension 2903.

Very truly yours,

James F. Stahl


Leon S. Directo
Supervising Civil Engineer

LSD:HM:ss

Cc: City of Santa Fe Springs
Attn: Raul Diaz

SANITATION DISTRICTS OF LOS ANGELES COUNTY

ATTENTION INDUSTRIAL WASTE SECTION

1955 WORKMAN MILL RD., P.O. BOX 4998, WHITTIER, CALIFORNIA 90607

No. V24237

NOTICE OF VIOLATION

1. DISCHARGER <u>Associated Plating</u>		2. ADDRESS OF WASTEWATER DISCHARGE <u>9636 Ann St SFS 90670</u>	
3. LOCAL AGENCY <u>City SFS</u>	4. TIME OF VIOLATION (Date, Hour) <u>2-3-04</u>	5. PERMIT NO. <u>15820</u>	6. ACCT. NO. <u>2055204</u>
7. INSP. AREA <u>202</u>		8. VIOLATION OF THE DISTRICTS, WASTEWATER ORDINANCE, SECTION <u>210 + 406x</u> CONCERNING	
<u>210: Discharge of wastewater in excess of EPA Limit for Pb</u> <u>SJ01867 Pb = 1.9 mg/l Limit = 6</u>			
<u>406x: Discharge of wastewater in excess of CSD limits</u> <u>SJ01867 Cu = 24.9 Limit = 15</u> <u>Ni = 38.8 Limit = 12</u>			
9. IMPORTANT: VIOLATION MUST BE CORRECTED BY: <u>Immediate</u> <div style="text-align: right; font-size: small;">(DATE)</div>			
10. RECEIPT OF NOTICE ACKNOWLEDGED BY DISCHARGER <u>Diana Crons</u> <div style="text-align: center; font-size: x-small;">PRINTED NAME</div> <u>Diana Crons</u> <div style="text-align: center; font-size: x-small;">(SIGNATURE)</div>		<u>V.P. of Quality</u> <div style="text-align: center; font-size: x-small;">TITLE</div>	

FORM NO. 5020

JAMES F. STAHL
CHIEF ENGINEER AND GENERAL MANAGER

BY: [Signature] 3/2/04

(NAME) (DATE)

1W Inspector

(TITLE)

SANITATION DISTRICTS OF LOS ANGELES COUNTY

ATTENTION INDUSTRIAL WASTE SECTION

1955 WORKMAN MILL RD., P.O. BOX 4998, WHITTIER, CALIFORNIA 90607

Nº V24423

NOTICE OF VIOLATION

1. DISCHARGER <i>Associated Plating</i>	2. ADDRESS OF WASTEWATER DISCHARGE <i>9636 Ann St SFS 90670</i>
--	--

3. LOCAL AGENCY <i>SFS</i>	4. TIME OF VIOLATION (Date, Hour) <i>11-19-03</i>	5. PERMIT NO. <i>15820</i>
		6. ACCT. NO. <i>2055208</i>
		7. INSP. AREA <i>202</i>

8. VIOLATION OF THE DISTRICTS, WASTEWATER ORDINANCE, SECTION *406x* CONCERNING

Discharge of wastewater in excess of limit for metals.

SJ97316 Ni - 13.4 mg/l Limit = 12.0

9. IMPORTANT: VIOLATION MUST BE CORRECTED BY: *immediate*
(DATE)

10. RECEIPT OF NOTICE ACKNOWLEDGED BY DISCHARGER

Diana Crane
PRINTED NAME
Diana Crane
(SIGNATURE)

VP of Quality
TITLE

JAMES F. STAHL
CHIEF ENGINEER AND GENERAL MANAGER

BY: *JF Stahl* *2/5/04*
(NAME) (DATE)
1W Inspector
(TITLE)

SANITATION DISTRICTS OF LOS ANGELES COUNTY

ATTENTION INDUSTRIAL WASTE SECTION

1955 WORKMAN MILL RD., P.O. BOX 4998, WHITTIER, CALIFORNIA 90607

No V20599

NOTICE OF VIOLATION

1. DISCHARGER <u>ASSOCIATED PLATING CO. INC</u>		2. ADDRESS OF WASTEWATER DISCHARGE <u>9636 ANN ST. SANTA FE SPRINGS CA 90670</u>	
3. LOCAL AGENCY <u>CITY OF SFS</u>	4. TIME OF VIOLATION (Date, Hour) <u>2/4/03</u>	5. PERMIT NO. <u>15820</u>	6. ACCT. NO. <u>2055204</u>
8. VIOLATION OF THE DISTRICTS, WASTEWATER ORDINANCE, SECTION <u>406X</u>		7. INSP. AREA <u>202</u>	

CONCERNING

406X - DISCHARGE OF ANY WASTE CONTAINING EXCESSIVE QUANTITIES OR CONCENTRATIONS OF HEAVY METALS TOXIC TO HUMANS, ANIMALS OR TREATMENT PROCESSES.

COMPOSITE SAMPLE SJ81911 TAKEN BY CSDIWMAC ON 2/4-5/03

N1 RESULT = 13.7 mg/L CSD LIMIT = 12 mg/L

9. IMPORTANT: VIOLATION MUST BE CORRECTED BY: IMMEDIATELY
(DATE)

10. RECEIPT OF NOTICE ACKNOWLEDGED BY DISCHARGER

Ken Hergesheimer

PRINTED NAME

[Signature]

(SIGNATURE)

ENV. TECH

TITLE

JAMES F. STAHL

CHIEF ENGINEER AND GENERAL MANAGER

BY: DAVID LEE

(NAME)

3/17/03

(DATE)

JW INSPECTOR II

(TITLE)

SANITATION DISTRICTS OF LOS ANGELES COUNTY

ATTENTION INDUSTRIAL WASTE SECTION

1955 WORKMAN MILL RD., P.O. BOX 4998, WHITTIER, CALIFORNIA 90607

NOTICE OF VIOLATION

No V20352

1. DISCHARGER <u>Associated Plating Co</u>		2. ADDRESS OF WASTEWATER DISCHARGE <u>4636 ANN ST</u> <u>Santa Fe SPRINGS, CA</u>	
3. LOCAL AGENCY <u>S.F.S.</u>	4. TIME OF VIOLATION (Date, Hour) <u>7/28/00</u> <u>1530 HRS</u>	5. PERMIT NO. <u>15387</u>	6. ACCT. NO. <u>2041951</u>
7. INSP. AREA <u>701</u>		CONCERNING	
8. VIOLATION OF THE DISTRICTS, WASTEWATER ORDINANCE, SECTION <u>406X</u> <u>Discharge of any waste into the sewerage system</u> <u>which contains excessively high concentrations</u> <u>of toxic metals.</u> <u>ST 29415 Grabbed 7/28/00 at 1530 hrs CONTAINED</u> <u>5.6 mg/L of Silver, Limit is 5 mg/L</u>			
9. IMPORTANT: VIOLATION MUST BE CORRECTED BY: <u>Immediately</u> (DATE)			
10. RECEIPT OF NOTICE ACKNOWLEDGED BY DISCHARGER <u>Michael Evans</u> PRINTED NAME <u>[Signature]</u> (SIGNATURE)		BY: <u>James F. Stahl</u> <u>9/6/00</u> (NAME) (DATE) <u>SR I.W. Inspector</u> (TITLE)	

SANITATION DISTRICTS OF LOS ANGELES COUNTY

No. F 31628

Charles W. Carry

~~WALTER GARRISON~~ ~~JOHN D. PARKHURST~~ CHIEF ENGINEER AND GENERAL MANAGER
1955 WORKMAN MILL RD., P.O. BOX 4998, WHITTIER, CALIFORNIA 90607
ATTENTION: INDUSTRIAL WASTE SECTION
(ADDRESS ALL CORRESPONDENCE TO THE ABOVE)

FINAL NOTICE OF VIOLATION OF INDUSTRIAL WASTEWATER DISCHARGE REGULATIONS

1. DISCHARGER <i>ASSOCIATED PLATING CO.</i>		2. ADDRESS OF WASTEWATER DISCHARGE <i>9636 ANIV STREET SANTA FE SPRINGS, CA 90670</i>	
3. PERSON CONTACTED (Name, Title) <i>DARRELL GOLDNICK VP & GM</i>	4. TIME OF VIOLATION (Date, Hour) <i>2/17/84, 3/7/84 3/28/84</i>	5. PERMIT NO. <i>6105</i>	6. SIC NO. <i>3471</i>
8. NATURE OF VIOLATION: (Descriptive Details) <i>SECTION 406X - EXCESSIVE Heavy metals concentration in WASTEWATER. 2/17/84 Copper 48.0 mg/l Zinc 40.2 mg/l 3/7/84 Cu 44.0 Ni 19.4 Zinc 61.8 mg/l 3/28/84 Cu 22.8 mg/l</i>		7. DISTRICT NO. <i>18</i>	

9. IMPORTANT: YOU HAVE BEEN FOUND TO BE IN VIOLATION AS DESCRIBED ABOVE OF THE DISTRICTS' INDUSTRIAL WASTE ORDINANCE AND HAVE BEEN ISSUED WARNING NOTICES FOR PREVIOUS VIOLATIONS ON (DATES) *1/9/84*. ANY FURTHER VIOLATION SHALL RESULT IN ENFORCEMENT ACTION ARISING OUT OF THE DISTRICTS INDUSTRIAL WASTE ORDINANCE. SUCH ACTION COULD INCLUDE, BUT IS NOT LIMITED TO, SUSPENSION OR REVOCATION OF YOUR INDUSTRIAL WASTEWATER DISCHARGE PERMIT; CRIMINAL PROCEEDINGS; AND CIVIL ACTION FOR INJUNCTIVE AND/OR MONETARY RELIEF (\$6000 PER DAY PER VIOLATION).
VIOLATION MUST CEASE AND DESIST PRIOR TO: _____ (Date)

COPY OF NOTICE TO: CITY OF _____
COUNTY ENGINEER

10. RECEIPT OF FINAL VIOLATION NOTICE ACKNOWLEDGED BY DISCHARGER
Darrell Goldnick (Signature) *GM* (Title)
Form No. 5021

SIGNED: *Charles W. Carry*
~~JOHN D. PARKHURST~~ ~~WALTER GARRISON~~
CHIEF ENGINEER AND GENERAL MANAGER
BY: *Juan Sanchez* (Name) *4/17/84* (Date)
I.W. Inspector II (Title)